I & II and Final Bill

M. A. R. 57 (Rule 116)

Measurement Book

Work code - 006-18-000066

No. B Est cost Rs. 5.00

Serial No. ..... Improvements & Existing Toilet At 426131 Land

Name of Work .... Hegadenagara From in Ward No. 06 To Byatarayanapura Sub Division

Name of Contractor of nature of Agency ..... Executive Engineer.

Date of commencement of work ..... KRIDC 1.80 5.9 M Cross Road 17 M C Main Road

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Work order No. - BBMP/EE/BTP/WO/75/2017-18.					Block. Rajajinagara Bangalore-560010.	
(1)	Earthwork excavation by manual means in ordinary soil soil involving an average horizontal through up to 2 meters and an average lift up to 0.30 m excavated surface leveled and sides neatly dressed the disposed earth to be leveled neatly after shaving & cleaning complete as per specification Complete as per specification.						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	As per Pre-measurement recorded vide Page No. - 426/170 in this MB.					49.64	5319:42
	Page · 107 : 16.						
(2)	Providing and laying in position Plain cement Concrete (3) Mix M 1:4:8 with OPC Cement at 150 kg with hard and dense graded granite metal coarse aggregate of 0.892 cum and fine aggregate as 0.87 cum machine mixed concrete laid in layers not exceeding 15cm thick well compressed in foundation and Plinth including cost of all necessary labour materials						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

426132

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Curing Compose as per specification. As per Pre-measurement recorded vide Page No.. 426170 to 426171 in this MB. Page. 6360:20					1.80	11448:36
(3)	Providing and removing centering shuttering shuttering Propping etc.. and removal & form work for sides and soffits & seams beam haunches construction joints measurements and curves not exceeding 1.0m in						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	depth including cost & all necessary lead lift complete as per Specification.						
	As per Pre-measurement recorded vide page no. 42617					in this MB. 37.62 M^2	
	Rate. 334:84						12585:39
(W)	Providing and laying in position Plain cement concrete 1:2:4 Mix M20 using OPC cement as per IS 456 with 20mm and down size graded granite metal coarse aggregate as per IS 383 and fine aggregate						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

426133

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Providing & laying in position 0.459 cum RMC of Superplasticizer of 3 iss Conforming to IS 9103 : 1999 Reinforced machine mixed exceeding 15cms thick in Foundation plinth and Ground floor level for roof slabs staircase including allowance for Plastering including cost of materials Labour curing complete as per specification.						
	Sanipalya	2	3.00	0.15	1.65	1.48	
		2	2.70	0.15	1.65	1.33	
	Recheck.	1	3.00	3.00	0.15	1.35	

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Bottom Coneese	1	2.70	2.70	0.10	0.72	
						4.88 M³	
	Rate. 7855:17						38333
	(3) Providing TMT steel reinforcement for RCC work including fabricating cutting bending hooking placing and welding wherever required using HYP binding wire and overlapping to the adjoining members wherever necessary complete as per design details hooks and bent shape shall not be measured						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

426131

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	and Paid) Cost of materials Casting & Curing of Masonry Columns as per Specification. As per Pre-measurment recorded vide Page No. 426172 in this MB. 0.47 TON Page. 73246:14						34425:68
(e)	Providing and Laying in Position Plain Cement Concrete M15 1:3:6 with OPC Cement as per 2200 kg with 20mm and						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	down size graded granite metal Coarse aggregate as 0.8mm and fine aggregate as 0.5mm mean size mixed Coarse laid in layers not exceeding 15cm thick well compacted in foundation and plinth including cost & all necessary lead & lift & curing. Complete as per Specification. Sarai Palya Anjanapadi						
	Front	1	4.00	0.75	0.15	0.45	
		1	4.00	1.00	0.15	0.60	
	Side.	1	6.20	1.20	0.15	1.14	
	Back.	2	16.10	0.30	0.15	1.44	
	Rate. 6902:82					3.60 m³	2484

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

426135

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(7) Providing and constructing burnt brick Masonry with approved quality & non modular bricks & standard size & class designation 50 (table mould) with CM 1:6 for sewer and superplasserve including cost & materials & labour charges scaffolding curing complete as per specification.						
	Sarailalya.	1	4.95	0.23	1.80	1.70 M^3	
		1	4.65	0.23	0.30	0.31 M^3	
	Rate 8735:96					2.01 M^3	14851:13

Deduction Rate
1 @ 0.90 × 0.23 × 1.80 = 0.31 M^3
1.70 M^3

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	"Reference to last Measurement"
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(8) Solid PVC Door Frame providing and fixing factory made PVC Door frame of size 50 x 47mm with 5mm thick & 5mm made out of reinforced 5mm thick PVC foam sheet reinforced at corners and joined 2 Nos (100 mm) long brackets of 15 x 15mm MS flame fuse & 12 gauge the door frame to be fixed to the wall using MS screw fuse & 12 gauge the door frame the door frame to be fixed to the wall using MS screws & 65/8mm size Complete as per manufacturers specification and direction Engineer in charge.						
	Sarai Palya.	1	0.75	-	2.00	1.00	
		2	0.75	-	2.00	3.00	3093:21
	Rate. 687:38					4.00 M	

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

426136

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(9)	Solid Panel Prelam Pve Door Shutters providing and fixing 30mm thick factory made rigid foam Prelam Panelled Door Shutters made from MS tube @ 19×19mm 19 gauge for Styles and 15×15mm for top and bottom rails covered with heat moulded Pre laminated Pve Channel & 5mm thick sheet and 30×80 mm wide & 5mm Edges and 5mm thick & 75mm wide Prelaminated Pve sheets for top rail Lock Rail and bottom rail on either side fixed in the MS frame sealed tone Edges and rails with Pve designers beading one either side and Double Reserve Charge						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	"Refe to Measu
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Sarairalya Anganwadi	1	0.75	–	2.00	1.50	
		2	0.75	–	2.00	3.00	
						4.00 M²	
	Rate: 5286:01						23787:1
(10)	Providing 12mm thick Cement Plaster in Single coat with cement Mortar 1:3 to ceiling including all corners wherever required from Rendering providing and removing Scaffolding including cost & materials Labour Curing Complete as per Specification Complete.						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

426137

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Saraipalya.	2	4.95	-	1.50	14.85 m^2	3745:31
		2	4.65	-	0.30	2.70	
	Rate. 252:21	Deduction	for	2	0.90	17.55 m^2	
						2.70 m^2	
(11)		Balance				14.85 m^2	
	Providing and fixing Ceramic tiles of size 400 x 400mm for flooring threads steps and landing laid on a bed of 20mm thick Cement Mortar 1:3 mix finish Painting with white Cement mixed with matching colour pigment including curing cleaning etc. complete and washed including curing cleaning etc. complete. The work includes curing etc. complete					Contents as per specification	

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement No
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Saraniparya Mgamavadi'						
		1	2.43	1.20	-	2.91	
		1	3.65	2.40	—	8.76	
	Hegadenagara	2	1.80	1.80	-	4.80	
		1	3.10	0.90	-	2.79	
		1	1.20	0.90	-	1.08	
						20.04	m^2
	Rate : 1404:81						28152:3

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B
426133

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(12)	Providing and applying glistning dado prises & steps with clear glazed tiles 6mm thick on 10mm thick cement plaster 1:3 and jointed with white cement slurry over smooth plaster surface (excluding cost of tiles) plastered surface which should be measured as per respective) using glazed tiles of approved make and size as per specification. Sarvaiya Arcade						
		2	2.43	-	1.50	7.29	

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Refer to Measure
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
		2	1.20	-	1.80	3.60	
	Hegadenagara.						
		2x4	1.30	-	2.00	24.00	
		2	0.90	-	2.00	3.60	
		2	1.20	-	2.00	4.80	
		2	3.10	-	2.00	12.40	
		2	0.90	-	2.00	3.60	
		2	2.60	-	1.50	7.80	
						67.09 m²	

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B 426139

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Deduction.						
	Doors.	5	0.75	–	2.00	7.50 m^2	
	net qty (67.09 – 7.50) :					59.59 m^2	
	Rate. 1400.89						83479.03
(13)	Providing and applying painting in two coats on Plaster emulsion paint of approved brand on wall surface to give an even approved shade after properly brushing the surface free from minor cracks and other foreign matter etc complete						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Preparing the surface even and Sand Paper Rubbing Cleaning materials Carpet Compress as per Specification						
	Saraipalya Anganwadi	2	3.65	-	3.00	21.90	
		2	2.40	-	3.00	14.40	
		2	3.65	-	3.00	21.90	
		2	4.26	-	3.00	25.56	
	Bathroom.	2	2.40	-	1.50	7.20	
		2	1.20	-	1.50	3.60	
Halsone	ceiling	1	3.65	2.40	-	8.76	
		1	3.65	4.26	-	15.54	
		1	2.40	1.20	-	2.88	
	Compound	2	4.95	-	1.50	14.85	
	Front.	1	4.10	-	3.30	13.53	

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

426140

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Regadena gama.	2 x 4	1.50	1	1.00	12.00	
		2	3.10	1	1.00	6.20	
		2	0.90	1	1.00	1.80	
		2	3.10	1	1.00	6.20	
		2	1.50	1	1.00	3.00	
	ceiling.	1	3.10	1	3.10	9.61	
	Rate .92:78	1	3.10	1	1.50	4.65	17960:35
						193.58 m²	
(14)	Providing and finishing external walls in two coats with water proof cement paint of approved brand and shade to given an even shade after thoroughly brooming the surface to remove all dust and loose powder material						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Free from major cuts of Mesenials	Drops and open Labour Compose as per Specifn				Quantity	
	Sarvipalya Anganwadi:						
	Base side -	1	4.10	-	3.00	12.30	
		1	7.35	-	3.00	22.05	
	Hegadenagara.	1	4.55	-	3.30	15.01	
		1	4.50	-	3.30	14.85	
						64.21 M^2	
	Deduction:						
	Doors.	3	0.75	-	2.10	4.72 M^2	
						59.49 M^2	
	Page. 109:77						6530:7

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

426141

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
15	Extra over Item No. 15.17.6 For applying every Subsequent coat of enamel paint to give an even shade after cleaning the surface Smooth dust dirt & Foreign matter sand Papering including cost of necessary Labour complete as per Specification Sarvajanya Anganwadi						
			0.90	-	2.10	1.89	
		4	0.90	-	1.20	4.32	
						6.21 M²	389 : 55
	Rate 62 : 73						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Refer to Measur
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
(16)	90 mm Pipe under dia (3 Locations) Saraipalya Page: 1659:64	1	7.00	-	-	7.00Mtr	1161
(17)	Providing and fixing chlorinated Poly Vinyl Chloride (CPVC) Pipes conforming to IS 15778 having sufficient strength for hot and cold water supply including all CPVC Solvents cements and the cost of cutting, making good the same including lessening & joints complete work including cutting etc. complete.						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

426142

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Saraipalya.	1	18.00	"	"	18.00	
		1	12.00	"	"	12.00	
						30.00 Mtr	980/:10
	Rate: 326:70						
18	Supplying laser source tanks made of virgin Polymer (HDPE) non toxic covers outlet black and inner white layer & approved quality and make conforming to IS/1/130/98 etc. complete.						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measured
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Sarai Palya Anganwadi		500.00	-	-	500.00	
		1	500.00	-	-	500.00	
						1000.00	Kseng
	Page - 7 : 84						7840:1
19	providing and fixing in position grass sod cocoa approved quality 20mm nominal bore including conv & all necessary lasan & HOM & equipments with all leads complete as per specification.						
	Sarai Palya -	1	6.0	-	-	6.00	
	Page. 317 : 55	1	4.00	-	-	4.00	3175:
						10 Nos	

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

426143

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
20	Orissa pattern & size 575 x 425 mm WC in general type footrests.						
	Sanitary.	3	–	–	–	3	
		2	–	–	–	2	
	Base 1:4:8					5 Nos	B 207:30
21	Providing and fixing white vitreous China clay glass glazed wash basin & size 630 x 450 mm WC Pair 215 mm CP brass pillar taps with CI/MS brackets 32 mm CP brass waste						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	& Standered pattern painting & giving and finishing and making good the wall and floor wherever required including cost & necessary labour Complete as per Specification.						
	Sarai Palya	2	–	–	–	2 Nos	
	Rate: 5078:22						10156:44
(22)	Providing and fixing white vitreous china clay water closets orissa pattern & size 380 x 440 mm with integral type foot rest 100 mm seal trap low level pvc flushing cistern Complete as per approved make) all fittings & fixtures including brackets 32 diameter						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B 426144

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Fresh pipe fittings and clamps overflow arrangements with special 25 mm magnetic brass coupling & approved design providing & fixing with brackets cutting and making good the wall and floor wherever required including cost & material taken complete as per specification.						
	Sarai Falya.	2	-	-	-	2 Nos	11332:06
	Page. 5666:28						
(23)	Providing and constructing damp proof course of 1:2 cement mortar using waterproofing compound @ 1 kg per bag of cement mixed with water over brick masonry in basement with wet mortar						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	"Reference to last Measurement"
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
	cuttle dressed in Courses not less than 15 cm thick with bond stones at 2.0 mtr apart in each course including cost of materials labour lime Cement etc as per specification.						
	Sarvipally Anganwadi		3.14 x 2.40 x 0.25 x 3.00				
			= 5.65				
	Nagadevanagara.		3.14 x 2.40 x 0.25 x 3.00				
			= 5.65				
						11.30	M^3
	Rate: 3804:09						42986:

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

426145

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(24) Providing granite slabs & selected quality gravel dressed and fixed in cement mortar (1:6) including curing exc.. complete 20 cms wide.						
	Sarai Palya Anganwadi	4	2.70	0.60	-	6.48	
	Hegadenagara	4	2.70	0.60	-	6.48	
						12.96 m²	13193:28
	Rate 1018:10						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement No.
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
25	Supply and delivery of Size brand new Rexroth/Bosch/Sauer/Danfoss/Calamari/Uchermite Radial Make Suitable 11 deep well Submersible pumpset Suitable for vertical installation in 10" borewell comprising of single phase or multistage CI pump close coupled by means of Stainless steel coupling to suitable speed 3 hp squirrel cage enclosed and fan cooled induction motor Suitable for operation of 3 ph 50 Hz 380/440 volts AC supply fitted with required accessories such as foot valve coupling guard stainless steel clamps and complete pump and motor.						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B 426146

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Sarvipalya. Page. 165 Hh : 09	1	-	-	-	1 No.	165 Hh : 09
					Total Rs.		441802 : 78
		Add 10% PRIDC			Charges Rs.		44180 : 27
		Add 1% Labour			Cess Rs.		4418 : 02
					Total Rs.		490401 : 07

25/6/2019 ಸಹಾಯಕ ಅಭಿಯಂತರರು FC
ಬಿ.ಬಿ.ಎಂ.ಪಿ ಬ್ಯಾಟರಾಯನಪುರ ಉ-

25/6/2019

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ., ಬೆಂಗಳೂರು-?4

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Ref to Meas
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	

Certificate -

(1) Certified that the work done Satis

(2) This bill Amount has not been in any of previous bill.

25/6/19

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

25/6/2019

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-26

Assistant Executive Engineer,
Byatarayanapura Sub-division
KRIDL, BBMP, Bangalore

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

426147

l No. .....

e of Work ..... From..... To.....

e of Contractor of nature of Agency .....

of commencement of work .....

Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
	Number	Length	Breadth	Depth		
2	3	4	5	6	7	8



25/6/19

ಸಹಾಯಕ ಅಧಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ

25/6/2019

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರ
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ.
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-24

Scanned by CamScanner